Back to the Village Report

(Format to be filled up by the Reporting Officer during his/her two day visit to the Gram Panchayat)

A) DETAILS OF REPORTING OFFICER:

- 1. Name: Sonaullah anis
- ii. Designation: Zonal Physical Education Officel, Hajin
- iii. Department/place of posting: Youk services 2, spats.
- iv. Mobile No: 7051867119.
- v. Email id: &
- vi. Home District: BAR.
- vii. Dates of visit: 20/21/22/23/24/25/26/27. June 2019

B) LOCATIONAL DETAILS OF GRAM PANCHAYAT:

- i. Name of the Gram Panchayat (GP): Benlipola-B
- ii. Local Government Directory (LGD) code of the GP: 748319

(To be sourced from Rural Development Department/ by DC)

- iii. Name of CD Block: Aloosa
- iv. Name of Tehsil: Alouson.
- v. Name of District: A.p. .

C) PANCHAYAT PROFILE:

- i. Name(s) of revenue villages in the Gram Panchayat: Aleesa
 - 1. Alousa.
- 2.
- 3.

- 4. d
- 5. 4
- ii. No. of hamlets in the GP: 06+01=07
- iii. No. of households in the GP:
- 474
- iv. Population (approx) of the GP:
- 2754
- v. Significant geographical feature of the GP (hilly/kandi/plain):
- vi. Key natural resources of the GP (forest/ water bodies/ minerals/ others/ None):

D) KEY AMENITIES IN THE GRAM PANCHAYAT:

1. STATUS OF ROADS:

- i. Whether Gram Panchayat is connected with road (Yes/No):
- ii. If yes, type of existing road connecting to GP (Tick one):

a) Black topped/ Metalled/ Shingled/ Fair-weather

Except this PM45Y road is discared above, the whole b) Remarks: hamlets of the 4P don't have any load connect

iii. Condition of existing road connecting to GP(Tick one):

a) Good/Average/Dilapidated by the 9P don't have any Roa star total hamlets up the 9P don't have any Roa b) Remarks: connectivity executed by PM45%.

iv. General condition of internal roads/link roads inside the GP(Tick one):

a) Good/ Average/ Dilapidated/ No internal roads as the area is hilly.

b) Remarks: no internal exist here

- v. Unconnected habitations having population of 250 or more souls (with name):
 - a) Number: 03

b) Names-(i) Dakki. (ii) Dangarnara

(iii) Chuntawaali (iv) ___ x

vi. Requirement of/ need for construction/ up-gradation of roads/ bridges/ culverts [with name/length (Max. 03 works)]:

Name of the road/bridge/culvert Approx. Length in Kms/ Mtrs

1. Yo had from Katson to Calab & 35 Kmg

2. Yo had from Aloosa water Pank vea Steikh mugaam to che

3. const. of Jufg. forward from Pmysy-soad veb panchayat 4

bangainaar to pangainaar nallah 303 Kmg.

- 2. DRINKING WATER / WATER BODI
 - i. Source of drinking water (Tick as many as needed):

a) Tapped Water Tube well/ Dug well / Natural Source (spring, nallah, bowli, river)/ Hand Pump

b) Others (please specify): _____

- b. New schemes needed/required (Max 3, give details):
 - 1. The schemes for Panhs be Launched.
 - 2. Reserver should also be given under anys
 - 3. Scheme for containing contaminated water
- c. Upgradation of existing schemes required (name of scheme with nat upgradation required):
 - 1. Ketson seheme ; dia 4" pipes be given instead
 - 2. Chuntawari Scheme; morterial flowbe incre
 - 3. Pangainar scheme; water be made me hygrenic

x. Water bodies in the GP (Numbers):

S. No	Type of water body Ponds	Water bodies in the Gram Panchayat			
1		Total number	Maintained	Requiring conservation/	
2		X	d	restoration	
3	Springs/Bowlis Wells	07	d	Restoration.	
		d	· d	d	
2 2	Any other, (specify) Seasonal water Schemes	02	а	Conservation plus sestoration.	

3. POWER SUPPLY:

- i. Are all hamlets connected with power supply: Yes/Nom
 u
- ii. Hamlets not having power connectivity:
 - a) Number: 03

b) Names-(i) Dane	ornac (ii)	Bael	Poti
(iii) Chuntawali	(iv) &	(v) &	

- vi. If yes, whether said building is being properly maintained: Yes/No vii. Number of major and critical projects/ works which are languishing for completion for more than three years (Plz specify three major works, if any): Department concerned Name of the work 1. Aloosa - Lo. laab sound PWD/ PHE/ Health/ School/ Other (Specify), PM454. 2. water supply scheme Kabon PWD/ PHE/ Health/ School/ Other (Specify) 3. Supply Scheme PWD/ PHE/ Health/ School/ Other (Specify) viii. Prevalence of drug menace in the GP: Nil/ Very Low/ Low/ High/ Very High ix. Is there any unused government building in the GP which can be put to productive use (Plz specify): _____ - no -21. GOOD GOVERNANCE: Public perception on:
- - a. Overall accessibility of departmental staff: Poor/ Good/ Very Good
 - b. Overall responsiveness of departmental staff: Poor/ Good/ Very Good
 - ii. Best performing departments: a) RDD b) Edu. c) Forest
 - iii. Departments with most complaints against staff: a) PHE b) PDD c) Thigation & Flood control, W. Social-welfare.
 - iv. Any specific observation regarding any particular department.

Af fee my observations, I bound the RDD's Job very much sortisfactory. It has saised the standard of living of Feople by touching all aspects of lives. The peter-The department is faily dedicated for the welfer of masses