

Back to the Village Report

(Format to be filled up by the Reporting Officer during his/her two day visit to the Gram Panchayat)

A) DETAILS OF REPORTING OFFICER:

i. Name:

Rakesh Sharma

ii. Designation: Assistant Professo &

iii. Department/place of posting: Higher Education

iv. Mobile No:

9419239100

v. Emailid: vi. Home District:

Eakesh 78 Phy @ gmail. com

vii. Dates of visit: 20/21/22/23/24/25/26/27, June 2019

B) LOCATIONAL DETAILS OF GRAM PANCHAYAT:

i. Name of the Gram Panchayat (GP): Pandrar

ii. Local Government Directory (LGD) code of the GP: 1815

(To be sourced from Rural Development Department/ by DC)

iii. Name of CD Block: Branoti

iv. Name of Tehsil:

Kathua

v. Name of District:

Kallma

C) PANCHAYAT PROFILE:

i. Name(s) of revenue villages in the Gram Panchayat:

1. Pandrag

MANUAL TO STAND SECTIONS

W N/ /4.

ii. No. of hamlets in the GP: 04

iii. No. of households in the GP: 493

iv. Population (approx) of the GP: 1917

v. Significant geographical feature of the GP (hilly/kandi/plain):

vi. Key natural resources of the GP (forest/ water bodies/ minerals/ others/ None):

D) KEY AMENITIES IN THE GRAM PANCHAYAT:
STATUS OF ROADS:
Whether Gram Panchayat is connected with road (Yes/No):
ii. If yes, type of existing road connecting to GP (Tick one):/
a) Black topped/ Metalled/ Shingled/ Fair-weather
vs:- Needs up gradation (Refair)
iii. Condition of existing road connecting to GP(Tick one):
a) Good/ Average/ Dilapidated
b) Remarks - Needs upgradation
iv. General condition of internal roads/ link roads inside the GP(Tick one):
a) Good/ Average/ Dilapida ed/ No internal roads as the area is hilly.
b) Remarks: Needs Black Toping.
v. Unconnected habitations having population of 250 or more souls (with name):
a) Number: .
b) Names- (i) Ward NO 1+07 the Takkat Pand Ros
(iii) (iv)(v)
vi. Requirement of/ need for construction/ up-gradation of roads/ bridges/ culverts
[with name/ length (Max, 03 works)];
Name of the road/ bridge/ culvert Approx. Length in Kms/ Mtrs
1 cisculer Road O. 5 Km (Black Toping)
2. Construction of Road from Nan Ghalhi link Road
3. Conskultion of Road from W. NO 03 to Ward NO a
2. DRINKING WATER WATER BODIES:
I. Source of drinking water (Tick as many as needed):
a) Tapped Water/ Tube well/ Dug well / Natural Source (spring, nallah, bowli,
river)/ Hand Pump
b) Others (please specify):

II. Is the availability of drinking water sufficient? Yes/ No
iii. Quality of drinking water in the Gram Panchayat (Tick one):
a) Very Good/ Average / Not fit for consumption.
b) Remarks: Shartage of drinking water.
iv. Hamlets without tapped water supply (with name):
a) Number: oI
b) Names-(i) Takhat Pandas(ii)(iv)(v)(v)
(iii)(iv)(v)
v. Coverage of households through tapped water:
a) Fully covered/ Substantially covered/ Partially covered/ Not covered
b) Remarks: Needs upgradation, Most hand fremp
vi. Frequency of water supply (for connected habitations) (fill one):
a) Daily (hrs/day)
b) Thrice a week (hrs/day)
c) Twice a week (hrs/day)
Weekly (hrs/day)
e) Remarks: 40 minutes water Supply Needs to be Enhanced.
vii. Prevalence of diseases on account of unhygienic water supply (as reported) (tick one
a) Frequently/ Sometimes / Never
Untapped water sources, details if any:
(i) <u>Ponds</u> (ii)
(iii) (iv)
x. Necessity and further need regarding drinking water supply:
a. Demand for pipes (length):O_2 (Kms)

N

- b. New schemes needed/ required (Max 3, give details):
 - 1. Two more tube wells with Storage Tank.
 - 2. More Hand fremps.

- c. Upgradation of existing schemes required (name of scheme with nature of upgradation required):

 - 1. Regular power supply (Special line)
 2. Frenctioning of all already installed hand pumps.
 - 3. Overhead water Tank.

Water bodies in the GP (Numbers)

	Type of water body	Water bodies in the Gram Panchayat			
No		Total number	Maintained	Requiring conservation/ restoration	
	Ponds		10	restoration	
		05	Na	05	
41.19	Springs/ Bowlis	The Washington			
		UN	EN	ьи	
	Wells	- 7450		17 4	
1		EN	in	hi	
1	Any other (specify)	16 2 18 2 1 - 1 H		NO.	
		NU			

)	W	'ER	SL	JP	P	LY	
---	---	-----	----	----	---	----	--

A - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Are all hamlets connected with	power supp	lv: Yes/No

Hamlets not having power connectivity:

a)	Number:_N	N

b) Names- (i) _____ (ii) _ (iii) _____ (iv) ____ (v) _

During winter During summer a. 0-6 hrs a. 0-6 hrs b. 6-12 hrs b. 6-12 hrs 6 12-18 hrs 6.12-18 hrs d. 18-24 hrs d. 18-24 hrs iv. Number of transformers in the Gram Panchayat: 05 v. Approximate number of transformers damaged during the year: _02 vi. Average time taken by PDD for repair of damaged transformer (tick one): a. Week / 15 days / One month / More than one month b. Remarks: Require Improvement vii. General assessment about quality of voltage; During winter During summer a. Good a. Good b. Average b. Average Below Average Below Average viii. Registration of domestic consumers with PDD (approx.) (tick one): 0-50%, 50-75%, 75-95%, 95-99.9%, 100% ix. Percentage of households metered: ______ % x. Are there any instances where trees are being used for supporting HT/LT line conductor: Yes/No a) If yes, requirement of approximate number of additional poles: -94b) Are there any critical loose wiring/ conductors which are threat to human life:

Number: OB Details: W. NO 6 (upgradalian from 160 to 2504)

W. NO 8 (New) 100 KV

W. NO 9 (upgradution).

W. NO 4 (upgradution).

W. NO 4 (matabala sunda) 25 to 100 KV

c) Any additional transformer/ upgradation of facility required:

iii. Overall availability of daily power supply:

Yes/ No

- vi. If yes, whether said building is being properly maintained: Yes/No
- vi. If yes, whether survii. Number of major and critical projects/ works which are languishing for completion

Name of the work

Department concerned

1. Ciacle Road

PWD/ PHE/ Health/ School/ Other

(Specify)

Road Jugti to Radhakuston PWD/PHE/Health/School/Other

(Specify)

3 Kards From Naustrikash PWD/PHE/Health/School/Other (Specify)

viii. Prevalence of drug menace in the GP: Nil/ Very Low/ Low/ High/ Very High

ix. Is there any unused government building in the GP which can be put to productive use (Plz specify): PS Bhallar,

PS Jagti

21. GOOD GOVERNANCE:

i. Public perception on:

a. Overall accessibility of departmental staff: Poor/ Good/ Very Good

b. Overall responsiveness of departmental staff: Poor/ Good/ Very Good

ii. Best performing departments: a) Agriculturb) _____ c) ____ c)

iii. Departments with most complaints against staff: a) PDD____ b) _PHE____c) RDD

iv. Any specific observation regarding any particular department. The overall development of Panchyat depends on working Rules development Department. For better working RDD needs more Employees of Transparancy So that whole Panchyet Households gets benefitt from Various Schemes of State/control Growt of the wages of Jobs card holder must be increase MGNEGA WOYKES A WOYKES LESS in terest in work MGNEGA WOYKS due to less wages.

E) GENERAL ASSESSMENT OF THE VISITING OFF

E)	GETTING OFFICER:
1	Main economic activities/ source of livelihood in the GP (Max. 05):
	DOG (Max. 05):
-	1. Agriculture
	2. Rearing of Cathles
	3. Poultory farming
	4. Growt. Employees
	5. MGNERGA WORKER & Shapkeeper Major potential areas which can be used to improve economic condition.
1	Major potential areas which can be
1	Major potential areas which can be used to improve economic conditions in the GP (Max. 05):
	1. Horticulture
1	A STATE OF THE STA
13	2. Rearing of Groats/Sheeps.
100	Of Crows Sheeps.
1	Musch 200m Cultivation
	Films & Comment of the property and Relief the Section Comment of the
1	Bee culture
	. The culture
5.	Poultory farming
Mi	ajor problems confronting the people in the GP (Max. 05):
1.	Un Employ mont
2	Doug Manale
	Low voltage and Sanction of double PDD connectes
The same	
	Transport facilities
2 1	
	Play Grand and Library
	Olan Inema and Col

Urgent public requirements in order of priority (Max. 07): 1. Regular Power Supply to PHE Tuse/Bore well. 2. Installation of New Transformers 3. Sanctioning of Rules Bank Branch. 4. Regular Transport Service, 5. Veterinary Hospital 6. Feetilizer/Pesticide outlet. 7. Repair of Hand premps / New Tube well out Takket Pandrer Hamled Any major complaint brought to notice: Income certificate from Bodisson Reviene department. Release of oldage / Widow / Handicaped Pansion Low voltage + Regular water Supply and upgradation of Existing Power Supply. Overall assessment of visit (Public Services): Please mention best practices, if any, observed The all existing water hand framps are defunct due to non seriousness of Concerned department. The working of PDD department is not upto the Expectation of Pcoplar. Overall assessment of visit (Panchayat Functioning): The Gream functionant work is Satifactory but it needs in provement like calling Corson Southa meeting regulary, a construct Panchyat Developmental Plan in Corson Sabha meeting. To aware people about valious Grovertment Schems.

Signature of the visiting officer
Name: Rakesh Sharve