



Back to Village

Governance at the Doorstep

June 20-27, 2019



Government of Jammu & Kashmir

Grampanchayat Name : Jagota

District Name : Doda

Details Of Reporting Officer

First Name	NAZIR
Last Name	WANI
Designation	Lecture
Department	EDUCATION
Place of posting	GHSS boys Bhaderwah
Email Id	assima272@gmail.com
Mobile No.	9906130564
Home District	Doda
Dates Of Visit Day One	22-june-2019
Dates Of Visit Day Two	23-june-2019

Locational Details of Gram Panchayat

Name of the Gram Panchayat (GP)	Jagota
Local Government Directory (LGD) code of the GP	239554
Name of District	Doda
Name of CD Block	Chiralla
Name of Tehsil	Chiralla

Panchayat Profile

Name(s) of revenue villages in the Gram Panchayat (Comma separated)	Jagota kolaie kothi bala bhaddan
---	----------------------------------

No. of hamlets in the GP	7
No. of households in the GP	140
Population (approx) of the GP	800
Significant geographical feature of the GP	Hilly
Key natural resources of the GP	Forest

Status of Road

Whether Gram Panchayat is connected with road No

General condition of internal roads/ link roads
inside the GP

No internal roads as the area is hilly

Remarks

Pyt having population more than 800 is unconnected from road

Number of Unconnected habitations having
population of 250 or more souls

7

Names of Unconnected habitations having population of 250 or more souls

Kothi bala

Jagota

Kolaie

Bhaddan

Shalla bhagan

Dandan

Kothi bala a

Requirement of/ need for construction / up-gradation of roads/ bridges/ culverts [with name/ length]

	Name		Length in Kms
✓ 1	Thalela to jagota road	Road	17
2	Sikku to jagota road	Road	12
3	Gudaka to jagota road	Road	20

Drinking Water / Water Bodies

Source of drinking water

Tapped Water, Natural source

Others

Is the availability of drinking water sufficient? No

Quality of drinking water in the Gram Panchayat Very Good

Remarks One Habitation Kolie complains of unsafe drinking water and demanded filter water

Number of Hamlets without tapped water supply 1

Names of Hamlets without tapped water supply

Dadan partly

Coverage of households through tapped water Substantially Covered

Remarks Dadan is partly without tapped water supply

Frequency of water supply (for connected habitations) Daily

Frequency of water supply (hrs/day) 6

Remarks Water is provided on daily basis subject to sufficient snow fall and rains

Prevalence of diseases on account of unhygienic water supply (as reported) Never

Untapped water sources

Nil

Necessity and further need regarding drinking water supply

Demand for pipes (length in Kms) 2

✓ New schemes needed/ required

Jae to jatinda

Bangla nalla to bhaddan

Panli ghorli to shalla bhaggan

Upgradation of existing schemes required (name of scheme with nature of upgradation required)

Water resrviour

Scheme 6no to jagota

Dhansa nalla to upper bhaddan to dandan

Water bodies in the GP (Numbers)

S. No	Type of water body	Water bodies in the Gram Panchayat		Requiring conservation/ restoration
		Total number	Maintained	
1	Ponds	09	7	9
2	Springs/ Bowlis	12	12	1
3	Wells	0		

Power Supply

Are all hamlets connected with power supply	Yes
Overall availability of daily power supply during winter	0-6 hrs
Overall availability of daily power supply during summer	0-6 hrs
Number of transformers in the Gram Panchayat	5
Approximate number of transformers damaged during the year	2
Average time taken by PDD for repair of damaged transformer	15 days
Remark	Low voltage and erratic schedule
General assessment about quality of voltage during winter	Below average
General assessment about quality of voltage during summer	Average
Registration of domestic consumers with PDD (approx)	75-95%
Percentage of households metered (in %)	17.8
Are there any instances where trees are being used for supporting HT/LT line conductor	Yes
If yes, requirement of approximate number of additional poles	200

Are there any critical loose wiring/ conductors which are threat to human life	Yes
Number of Any additional transformer/ upgradation of facility required	2
Details of Any additional transformer/ upgradation of facility required	25kv each

Health

Sub-Centre :

Number of Sub Centres in the Gram Panchayat	2
Total number of sanctioned posts (including NHM)	5
Total number of posts filled up (including NHM)	5
Are medicines available in Sub Centres	Yes
Remarks	Complaint of absentism of staff

Primary Health Centre :

Whether PHC is available within the Gram Panchayat	No
If no, distance (in Kms) of nearest PHC from the Gram Panchayat: Kms	8

General Health Parameters :

Distance to the nearest secondary health institution (District Hospital/ Sub-district Hospital/ Community Health Centre) from the Gram Panchayat: Kms

District Hospital	Distance Kms (DH)
	35
Sub-district Hospital/Community Health Centre	Distance Kms (SDH/CHC)
	35

Institutional deliveries percentage (approx): %	30
---	----