

H) FOLLOW UP OF BACK TO VILLAGE-1 & 2 (B2V1 & B2V2):

S. No	Particulars	Action taken	Remarks #
I Urgent Public Requirements/ Demands - B2V1			
1	UP gradation of GMS Mandli	-	-
2	Renovation of MAC Mandli	-	-
3	Velocity hospital building.	-	-
4	Road for upper Mandli to Dher Road.	-	-
5	Monote of Mandli Road.	-	-
6	Canal Sangeve Road (upgradation)	-	-
7	3 Nos of Transformers required.	-	-
II. Urgent Public Requirements/ Demands - B2V2			
1	UP gradation of GMS Mandli to H.S.	-	-
2	Provision of husbandry sub station at Mandli required.	-	-
3	Receiving station Mandli (6.5 MVA)	-	-
4	opening ITI at Mandli	-	-
5	UP gradation of MAC to PHC	-	-
6	Sanction work for lime road to Sangeve upper Mandli, Mandli.	-	-
7	Pendency of electricity under NGRS/A 2016-17 - 2017-18 - 2018-19.	-	-

S. No	Particulars	Action taken	Remarks #
III. Major Problems - B2V1			
1	Students after passing 8 th have to cover a long distance to get admission in next class.		urgent need.
2	Rain water enters in the rooms of MAC building and out siders damage the building after working hours as it has no boundary wall		Urgent need.
3	Need of animal Husbandry Sub Station in the P.H as people have to cover a long distance to avail the facility		Need of hours
4			
5			

IV. Major Problems - B2V2			
1	Students face difficulties in attending the next classes after passing 8 th .		Genuine and need of hour demand.
2	It becomes difficult in maintaining cleanliness ^{in MAC} due to incomplete building of MAC		Genuine demand of renovation and boundary wall of MAC
3	It becomes difficult to cover a long distance with an abnormal animal to avail the facility		Genuine demand of Animal Sub Station in P.H

V. Major Complaints - B2V1			
1	Genuine demand of upgradation of M.S Mandli is unsolved till date.		yes, Not solved.
2	MAC Mandli building needs attention of administration, but no action taken till date.		yes, Attention of adm. needed.

VI. Major Complaints - B2V2			
1	The major demand of upgradation of Govt M.S Mandli ignored insted of repeatedly highlighting it		It is really a Genuine Demand.
2	The repeated demand of Animal sub station is also ignored till date.		yes, Needed an Animal Husbandry Sub Station

Please indicate whether action taken in 2019 or 2020 or during Jan Abhiyan/ Awami Muhim.

I) GENERAL ASSESSMENT OF THE VISITING OFFICER:

I	<p>Any major complaint brought to the notice of the Visiting Officer:</p> <p>The major three problems projected in B₂V₁ and B₂V₂ are still unsolved. They are as under:</p> <ol style="list-style-type: none">1. upgradation of Govt M.S Mandli to High School.2. The incomplete and without boundary wall building of MAC (Medical Aid-Centre) Mandli is not handedover by PWD to health department till date3. Animal Husbandry sub station is not sanctioned till date inspite of repeatedly highlighted.4. The Panchayat Halqa needs the facility of an ATM (JK Bank)
II	<p>Major/ urgent public demand(s) that was/were reflected earlier but have not been addressed so far:</p> <ol style="list-style-type: none">1. upgradation of Govt M.S Mandli to High School.2. Repair of MAC building, Construction of boundary wall of MAC and need of collapsible gate to MAC building.3. Sanction of an Animal Husbandry sub station in P.H
III	<p>Overall assessment of visit and suggestions: (The visiting officer to ensure that the overall assessment is recorded in detail along with concrete suggestions.)</p> <p>Panchayat is functioning properly solving the problems of locality one by one but not the major problems as mentioned above.</p> <p>This panchayat may be a model panchayat if the administration takes keen interest in the panchayat.</p>



Signature of the visiting officer

Name: RAGUNANDAN SINGH.