

H) FOLLOW UP OF BACK TO VILLAGE-1 & 2 (B2V1 & B2V2):

S. No	particulars	Action taken	Remarks #
I. Urgent Public Requirements/ Demands - B2V1			
1	Safe drinking water supply in gram panchayat	No any step has been taken in this regard till date. Needs keen attention.	
2	Full repairment of electricity supply means (Poles, wires & transformers in G.P.	No any step has been taken in this regard till date. Needs keen attention.	
3	Repairment & widening of main roads, Link roads of gram panchayat	No any step has been taken in this regard till date. Needs top priority.	
4	Const. and completion of health centres in G.P.	No any step has been taken in this regard till date. Needs priority.	
5	Fencing, repairment of all Govt. Buildings, M.S. Lids leveling & filling & fencing of Jambha Ghat.	Partially Started, but maximum No. of works are still undone till date mentioned in Back to village 1 & 2nd.	
6	Sanction of Ration store, veterinary blocks, Sir H.S. High School, & const. of waste disposal system in G.P.	No any step has been taken in this regard till date. Needs priority.	
7	Const. of culverts, drains, footpaths, in G.P. Leveling, filling & fencing and beautification of Bichewara & Bura.	Partially Started, but max. No. of works are still undone mentioned in B1 & B2.	
II. Urgent Public Requirements/ Demands - B2V2			
1	Safe drinking water supply in gram panchayat.	No any step has been taken in this regard till date as per public reports. Needs top priority.	
2	Full repairment of electricity supply means (Poles wires) in gram panchayat.	No any step has been taken in this regard till date. There is chance of life loss due to electric shock in G.P. This needs keen attention.	
3	Repairment and widening of major roads, links and Macadamization of all roads.	No any step has been taken in this regard till date. Roads are in bad conditions. All main and inner link roads needs repairment.	
4	Const. of water tanks in Agricultural land and const. of concrete water channels to paddy fields.	No any step has been taken in this regard till date. People of G.P. are suffering due to non availability of water tanks in G.P.	
5	Const. and completion of health centers in the gram panchayat.	No any step has been taken in this regard till date. People of G.P. faces problems due to non availability of fully equipped health centers in G.P.	
6	Fencing, repairment of all Govt. Buildings in the gram panchayat. filling & fencing of Grave yards.	Partially Started, but maximum No. of works are still pending till date, mentioned in B to V1 and in B to V2.	
7	Const. of drains, culverts, footpaths in gram panchayat and beautification of sports stadium at Bichewara.	Partially Started, but maximum No. of works are still pending till date. Only R.D. Deptt. is doing works in G.P.	
8.	Installation of solar lights in gram panchayat.	No any step has been taken in G.P. in this regard.	

S. No.	particulars	Action taken	Remarks #
III. Major Problems - B2V1			
1	Non availability of safe drinking water in the Gram Panchayat.	The department is supplying water in gram panchayat after interval of 6 days. Some times after 10 days. Same was the case when we visited in B2V1 and B2V2. The condition of electricity supply means (poles, wires) is same as found earlier in B2V1 and B2V2.	drinking
2	Repairment of Electricity supply means (poles, wires) installation of transformers in G.P.	The conditions of the roads of Gram Panchayat is same as found during B2V1 and B2V2. (Worse)	
3	Repairment of all main roads, drains and M.C.C. - damage in G.P.	No any step has been taken in this regard. He Badrah Payeen is still in same conditions as found in B2V1 & B2V2.	
4	Const. and repairment of Health centers in the Gram Panchayat.	people of the Gram Panchayat used to put cow dung and other house hold waste products on road sides, which caused pollution in G.P.	
5	Waste Management disposal system in the Gram Panchayat.	This needs keen attention and top priority.	
IV. Major Problems - B2V2			
1	Non availability of safe drinking water in the Gram Panchayat.	No any action has been taken. = Same as earlier.	
2	Bad conditions of Electricity supply means	No any action has been taken. = Same as earlier.	
3	Bad Condition of all the roads of G.P.	No any action has been taken. = Same as earlier.	
V. Major Complaints - B2V1			
1	Non availability of safe drinking water	No any action has been taken. = Same as earlier.	
2	Not any proper means of disposal of waste and other sewage in the G.P.	No any action has been taken. = Same as earlier.	
VI. Major Complaints - B2V2			
1	Non availability of safe drinking water in the Gram Panchayat.	No any action has been taken. = Same as earlier.	
2	Defected Drainage system, Bad condition of roads & electricity supply means.	Const. work of drains, foot paths filling, leveling, const. of culverts, fencing has been started in Gram Panchayat but many works in this regard are still pending.	

Please indicate whether action taken in 2019 or 2020 or during Jan Abhiyan/ Awami Mission.

Const. of Panchayat Ghar and Const. of community Hall in the G.P.

I) GENERAL ASSESSMENT OF THE VISITING OFFICER:

I	Any major complaint brought to the notice of the Visiting Officer: The people of the Gram Panchayat once again highlighted all these complaints regarding drinking water, Electricity supply, repairment and widening of roads and link roads, waste disposal system, completion of pending works, const. of Panchayat Ghar, etc which they highlighted in B2V1 & in B2V2. But these works are addressed so far:-
II	Major/ urgent public demand(s) that was/were reflected earlier but have not been addressed so far:- (a) Safe and regular supply of drinking water. (b) Repairment of Electricity supply means i.e. poles, wires, transformers. (c) Start the pending work of Health Centre Badrah Payeen. (d) Const. of Waste Management disposal system. (e) Repairment of all inner and outer roads of G.P.
III	Overall assessment of visit and suggestions: (The visiting officer to ensure that the overall assessment is recorded in detail along with concrete suggestions.) The problem of safe drinking water can be solved in Gram Panchayat once for all, if water of borewell Badrah Payeen be filtered in filtration plant, which needs to be constructed on the hilly area of the G.P. After doing so all G.P. can be connect safe drinking water from that filtration plant. It is worth while to mention that borewell has enough water capacity to give water supply to whole G.P. on daily basis. Especially to Baghat Colony Bichewara which is most suffering.

Signature of the visiting officer
Name: Iqbal Rasool An