

Back to the Village Report (Format to be filled up by the Reporting Officer during his/her two day visit to the Gram Panchayat) DETAILS OF REPORTING OFFICER: Name: AMJAD KHAN II. Designation: ASSISTANT PROFFESSOR iii. Department/ place of posting: HIGHER EDUCATION/ CA. D. C. GUREZ iv. Mobile No:7780877586 v. Email id: a mjadkhank2 e gmail. com vi. Home District: LEH (LADAKH) vii. Dates of visit: 20/21/22/23/24/25/26/27. June 2019 LOCATIONAL DETAILS OF GRAM PANCHAYAT: i. Name of the Gram Panchayat (GP): BADWAN ii. Local Government Directory (LGD) code of the GP; 242210 To be sourced from Rural Development Department/ by DC) iii. Name of CD Block: GUREZ iv. Name of Tehsil: GruRE 2 v. Name of District: BANDIPORA C) PANCHAYAT PROFILE: i. Name(s) of revenue villages in the Gram Panchayat: 1 BADWAN ii. No. of hamlets in the GP: 1 iii. No. of households in the GP: 180.

iv. Population (approx) of the GP: 867

v. Significant geographical feature of the GP (hilly/ kandi/ plain).

vi. Key natural resources of the GP (forest/ water bodies/ minerals/ others/ None):

| D) KEY AMENITIES IN THE GRAM PANCHAYAT: |
|---|
| STATUS OF ROADS: |
| : Whether Gram Panchayat is connected with road (Yes/No): |
| ii If yes, type of existing road connecting to GP (Tick one): |
| hanned/ Metalled/ Shingled/ Fair-weather |
| b) Remarks Roads are not properly maintained, needs prompt action. |
| iii. Condition of existing road conflecting to device one. |
| a) Good/ Average/ Dilapidated |
| b) Remarks Needs Black topping |
| iv. General condition of internal roads/ link roads inside the GP(Tick one): |
| a) Good/ Average/ Dilapidated/ No internal roads as the area is hilly. |
| b) Remarks from Levelling of roads and well maintenace of 250 or more souls (with name): Nil |
| a) Number: O |
| b) Names- (i) < |
| b) Names- (i) < (ii) < (ii) < (iii) < < |
| vi. Requirement of/ need for construction/ up-gradation of roads/ bridges/ culverts |
| [with name / length (Max. 03 works)]: |
| Name of the road/ bridge/ culvert Approx. Length in Kms/ Mtrs |
| 2 Repairing of Jula bridge on Kishen Cranga to make it motorable for light vehicles - 200 metres 3. Maintenance/black topping of the roads 3-4 kilometres 2. DRINKING WATER/ WATER/ |
| 2. DRINKING WATER WATER BODIES: |
| WAIER RODIES |
| i. Source of drinking water (Tick as many as needed): a) Tapped Water (Tick as many as needed): |
| a) Tapped Water/ Tube well/ Dug well / Natural Source (spring, nallah, bowli, |
| b) Others (please specify): |
| 1 ochy). |
| |

| overall availa | bility of daily power | | |
|----------------|-----------------------|--|-------|
| During | winter | | |
| W 0-6 | hrs | During summer a. 0-6 hrs | |
| b. 6-1 | 2 hrc | b. 6-12 hrs | |
| c. 12- | 18 hre | C. 12-18 hrs | |
| d. 18- | 24 hrs | d. 18-24 hrs | |
| Number of tr | ansformers in the G | Fram Panchayat: NJ | |
| Approximate | number of transfor | mers damaged during the year: N.A | |
| Average time | taken by PDD for n | epair of damaged transformer (tick one): N.A | |
| a. We | ek / 15 days / One | month / More than one month | |
| b. Re | marks: Only or | ne step up transperse : +1. | , |
| General asse | essment about quali | ne Step up transpormer in the number house house | un |
| | winter | During summer | |
| a. Go | od | a. Good | |
| Ust. Av | erage (| Average | 11 |
| c. Be | low Average | c. Below Average | Helia |
| Registration | of domestic consun | mers with PDD (approx.) (tick one): | |
| 0-50% | 50-75%. 75-95%. | 95-99.9%. 100% | |
| Percentage | of households mete | red: <u>NU</u> % | |
| Are there a | ny instances where | trees are being used for supporting HT/LT line | |
| conductor | | | |
| a) If yes, re | equirement of appro | ximate number of additional poles: | |
| | re any critical loose | wiring/ conductors which are threat to human life: | |
| | | upgradation of facility required: | |
| N ₁ | | 950 H.V. Transformer | |
| Numbe | er Details: | 250 K. V. Transformer | |
| | | | |

| facilities available in PS | PS 1 | PS 2 | P5 3 | PS 4 |
|---|--------------------------------|--|--------------|-------|
| Enrolment | 11 | 06 | 13 | |
| No. of teachers available | 02 | 02 | 02 | |
| No. of operational classes | 06 | 06 | 06 | |
| No. of classrooms available | With 13. Mis, Psa, Msz, Msz | Of Shared With PS, PS, PS, MS, MS, MS, | With 13. M.S | |
| Compound wall (Yes/ No) | YES | YES | No | |
| Toilet facility available (Yes/ No) | No | NO | YES | |
| Drinking water facility (Yes/ No) | NES | YES | YES | |
| MDM served regularly (Yes/ No) | YES | YES | YES | 1 330 |
| Quality of food served (Poor/ Good/ Very Good) | GOOD | 6,000 | Grood | |
| Condition of the connecting road (good/ average/ dilapidated) | Dilapidate | Dilapidated | bilipidated | |

ii. No. of Middle Schools in GP: 03

| Facilities available in MS | MS ₁ | MS 2 | MC a |
|------------------------------------|-----------------------|--|---|
| Name of Middle school | BOYS MIDDLE SCHOOL | MIDDLE | MS3 MIDDLE SCHOOL |
| Building (Govt/ rented) | NHPC & | SCHOOL 02, Shared ut in PSI, PS2, MSI, MSZ, MSZ | 62, Shared with PS, PS2, MS, MS2MS3 |
| Enrolment | 09 | 07 | 11 |
| No. of teachers available | . 04 | 02 | 02 |
| No. of operational classes | 09 | 09 | 09 |
| No. of classrooms available | 2/5 | 2/5 | 2/5 |
| Compound wall (Yes/ No) | YES | YES | YES |
| Toilet facility available (Yes/No) | No | NO | NO |

- x. Number of children in the GP identified during screening for any defects at the commental delays including disability. Number of Charles and developmental delays including disability: 10 (No)
- xi. How many of them have been referred to higher institutions for treatment S
- xii. General awareness about the Ayushman Bharat Programme/ Golden Institution Card: Poor/ Good/ Very Good
 - a. Has anybody in the GP availed benefit under Ayushman Bharat Program Yes/ No
 - b. If yes. satisfaction level: Poor/ Good/ Very Good
- xiii. No. of infant (0-1 year age) deaths in the GP during last year (January, 2018 to Decem 2018): 1 (approx.)
- xiv. No. of maternal deaths (during pregnancy period or within 42 days of deliverying GP during last year (January, 2018 to December, 2018): Nに (approx.)
- xv. Overall satisfaction level about the performance of ASHA workers among the loss Poor/ Good/ Very Good

Remarks Need to organise Awareness Camps

xvi. Any requirements pertaining to health sector (please give details- maximum 03)

- 2 Staff (Immediate fulfilment of Medical ASS 3. Enhancement of Remunacration for existing ste

5. EDUCATION:

| i. No. of Government Pri Facilities available in PS | PS ₁ | PS 2 | P5 3 |
|--|-----------------|-----------|---------|
| Name of Primary school | MOHALLA | MAPNOO | PINTOO |
| Building (Goyt/rented) | B.M. S. In | MS IN NHO | Clubbed |

| Facilities available in MS | MS 1 | MS 2 | MS3 |
|--|-------------|--------------|-------------|
| Separate toilet facility for girls (Yes/ No/ NA) | No | No | No |
| Drinking water facility (Yes/ No) | MES | YES | YES |
| Playground available (Yes/ No) | ~0 | No | No |
| MDM served regularly (Yes/ No) | YES | YES | YES |
| Quality of food served (Poor/ Average/ | GOOD | GOOD | Grood |
| Good/ Very Good) | | . 1 | 00 |
| Condition of the connecting road (good/ average/ dilapidated) | Dilapidated | Dila Pidated | Dilegidated |

iii. No. of High Schools in the Gram Panchayat: NIL

| Facilities available in HS | HS 1 | HS 2 |
|-------------------------------------|------|------|
| Name of High school | | |
| Building (Govt/ rented) | | |
| Enrolment | | |
| No. of teachers available | | |
| No. of operational classes | | |
| No. of classrooms available | | |
| Compound wall (Yes/ No) | | |
| Toilet facility available (Yes/ No) | | |

| IV | Urgent public requirements in order of priority (Max. 07): |
|-----|--|
| T | To take up the matter of NAIC |
| | 1. eregarding RSR Plan Development of infrastructure especially Prin and middle school, Health depth. |
| | Development of infrastructure especially Prin |
| 18 | 2. and middle school, Faction depth. |
| | Fulfelment of vacant post us different |
| - | 3. departments Protection Wall/Embankments along 1 |
| | |
| - | 4. Kishan Cranga river |
| | Maintenance of Road |
| - | 5. Maintenance of Road. Construction of bridge from Badwan to |
| | 6. Crurez-Bandipora Road. |
| - | o. Dienez ist en pora read. |
| | 7. Installation of transformer |
| V | Any major complaint brought to notice: |
| | |
| | Construction of road upto pasture as in |
| | Construction of road up to pasture as the earlier road got submerged under dan |
| | |
| | A LIVER LIVE CO. IN COLUMN TO A LIVER TO A L |
| VI | Overall assessment of visit (Public Services): Please mention best practices, if any, observ |
| | Lack of amereness among the public about |
| | the Various schemes. |
| | Sarpanch and Panchs are not well aware about their duties. |
| | activity to the second of the |
| VII | Overall assessment of visit (Panchayat Functioning): |
| | Premafaire observation shows that the larks at |
| 1 | the main functionaries of Panchayat. To make |
| | ment be trained and amarener companied |
| - 1 | forchayot hiere functional, Sarpanch and Panch munt be trained and amareness composite regarding Pancheyati Reg System must be organised the serfathance of GRS is exemplary thus need to enthand their renlimeration. |
| | Signature of the visiting officer |
| | Signature of the visiting office. |
| | Name: AMJAD KHAN |
| | |